











| PRODUCT NAME | CRATER  | | MINI CRATER  | | MINI CRATER IP  | | MINI CRATER OUT  | | OLLA  | |
|--------------------------|--|---|---|---|--|---|---|---|--|---|
| Product Ref | A6153-54... 75 | | A6185... 45 | | A6195... 45 | | A6186... 49 | | A6157... 70 | |
| Constant current drivers | | | | | | | | | | |
| NON DIMMABLE | | | | | | | | | | |
| C5001 | | | | | | | 1 - 2 | X | | |
| C5002 | | | | | | | | | | |
| C5005 | | | | | | | 1 | X | | |
| C5070 | | | | | | | | | | |
| C5066/**mA | 2 - 5 | X | 2 - 5 | X | 2 - 5 | X | | | 2 - 5 | X |
| PHASE DIM | | | | | | | | | | |
| C5003 | 1 - 2 | X | | | | | | | 1 - 2 | X |
| C5016 | 1 - 4 | X | | | | | | | 1 - 4 | X |
| C5029 | | | | | | | 1 - 4 | | | |
| C5045 | | | | | | | 3 - 5 | | | |
| C5050 | | | | | | | 1 - 2 | | | |
| C5062 | | | | | | | 2 | | | |
| C5063 | | | | | | | 2 | X | | |
| C5064 | | | | | | | 3 - 4 | X | | |
| C5065 | | | 2 - 3 | X | 2 - 3 | X | | | | |
| C5067 | | | | | | | 2 | X | | |
| C5068 | | | 1 | | 1 | | 1 | X | | |
| C5069 | 1 | X | 1 | | 1 | | | | 1 | X |
| C5072 | | | | | | | | | | |
| C5082 | | | | | | | 1 - 2 | | | |
| C5087 | 1-2 | X | | | | | | | 1-2 | X |
| DIM 1-10V | | | | | | | | | | |
| C5017 | 1 - 7 | | 1 - 7 | | 1 - 7 | | 1 - 7 | | 1 - 7 | |
| C5046 | | | | | | | 3 - 25 | | | |
| C5050 | | | | | | | 2 | | | |
| C5051 | | | 1 - 2 | | 1 - 2 | | | | | |
| C5062 | | | | | | | 2 | X | | |
| C5064 | | | 1 - 2 | X | 1 - 2 | X | | | | |
| C5073 | 1-5 | X | 1 - 5 | | 1 - 5 | | 1 - 5 | | 1-5 | X |
| C5088 | 1-5 | | 1 - 8 | | 1 - 8 | | | | 1-5 | |
| C5106 | 1-6 | | 1 - 9 | | 1 - 9 | | | | 1-6 | |
| DIM DALI | | | | | | | | | | |
| C5017 | 1 - 7 | | 1 - 7 | | 1 - 7 | | 1 - 7 | | 1 - 7 | |
| C5035/**mA | 2 - 5 | X | 2 - 5 | | 2 - 5 | | 2 - 5 | | 2 - 5 | |
| C5043/**mA | 1 - 2 | X | 1 - 3 | | 1 - 3 | | 1 - 5 | | 1 - 2 | X |
| C5044/**mA | 2 - 3 | X | 2 - 5 | | 2 - 5 | | 2 - 5 | | 2 - 3 | |
| C5071/**mA | 2-5 | | | | | | | | 1 - 5 | |
| C5074/**mA | 1 | X | 1 - 2 | X | 1 - 2 | X | 1 - 3 | | 1 | X |
| C5080 | 1-3 | | 1 - 5 | | 1 - 5 | | 1 - 5 | | 1-3 | |
| C5081 | 1-5 | | 1 - 8 | | 1 - 8 | | 1 - 10 | | 1-5 | |
| C5083 | 1-3 | X | 1 - 5 | | 1 - 5 | | 1 - 5 | | 1-3 | X |
| C5089 | | | | | | | 1 - 2 | | | |
| C5090 | | | | | | | 1 - 4 | | | |
| C5091/**mA | 1-2 | X | 1 - 2 | | 1 - 2 | | 1 - 4 | | 2 | X |
| C5107 | 1-8 | | 1 - 9 | | 1 - 9 | | | | 1-8 | |





X = fits through cut-out hole

| PRODUCT NAME | OLLA OR | | NANO TUBE R | | NANO TUBE S | | NANO TUBE L | | VUELTA | |
|--------------------------|----------|----|-------------|----|-------------|----|-------------|----|------------|----|
| Product Ref | A6158... | 70 | A6183... | 44 | A6191... | 45 | A6199... | 45 | A6155-6... | 44 |
| Constant current drivers | | | | | | | | | | |
| NON DIMMABLE | | | | | | | | | | |
| C5001 | | | 1 - 2 | X | 1 | X | 1 | X | 1 - 2 | X |
| C5002 | | | | | | | | | | |
| C5005 | | | 1 | X | | | | | 1 | X |
| C5070 | | | | | | | | | | |
| C5066/°mA | 2 - 5 | X | | | | | | | | |
| PHASE DIM | | | | | | | | | | |
| C5003 | 1 - 2 | X | | | | | | | | |
| C5016 | 1 - 4 | X | 1 - 4 | | 1 - 2 | | 1 - 2 | | 1 - 3 | |
| C5029 | | | 3 - 5 | | 2 | | 2 | | 3 - 4 | |
| C5045 | | | 1 - 2 | | 1 | | 1 | | 1 - 2 | |
| C5050 | | | 2 | | 1 | | 1 | | 2 | |
| C5062 | | | 2 | X | 1 | X | 1 | X | 2 | X |
| C5063 | | | 3 - 4 | X | 1 | X | 1 | X | 2 - 3 | X |
| C5064 | | | | | | | | | | |
| C5065 | | | | | | | | | | |
| C5067 | | | 2 | | | | | | 1 | |
| C5068 | | | 1 | | | | | | 1 | |
| C5069 | 1 | X | | | | | | | | |
| C5072 | | | | | | | | | | |
| C5082 | | | | | | | | | | |
| C5087 | 1 - 2 | X | | | | | | | | |
| DIM 1-10V | | | | | | | | | | |
| C5017 | 1 - 7 | | 1 - 7 | | 1 - 3 | | 1 - 3 | | 1 - 6 | |
| C5046 | | | 3 - 25 | X | 2 - 10 | | 2 - 10 | | 3 - 20 | X |
| C5050 | | | 2 | | 1 | | 1 | | 2 | |
| C5051 | | | | | | | | | | |
| C5062 | | | 2 | X | 1 | X | 1 | X | 2 | X |
| C5064 | | | | | | | | | | |
| C5073 | 1-5 | X | 1 - 5 | | 1 - 2 | | 1 - 2 | | 1 - 5 | |
| C5088 | 1-5 | | | | 1 - 4 | | 1 - 4 | | | |
| C5106 | 1-6 | | | | | | | | | |
| DIM DALI | | | | | | | | | | |
| C5017 | 1 - 7 | | 1 - 7 | | 1 - 3 | | 1 - 3 | | 1 - 6 | |
| C5035/**mA | 2 - 5 | | 1 - 5 | | 1 - 2 | | 1 - 2 | | 2 - 4 | |
| C5043/**mA | 1 - 2 | X | 1 - 5 | | 1 - 2 | | 1 - 2 | | 1 - 3 | |
| C5044/**mA | 2 - 3 | | 1 - 5 | | 1 - 2 | | 1 - 2 | | 2 - 4 | |
| C5071/**mA | 2 - 5 | | | | | | | | | |
| C5074/**mA | 1 | X | | | 1 | X | 1 | X | 1 - 2 | X |
| C5080 | 1 - 3 | | | | 1 - 2 | | 1 - 2 | | 1 - 4 | |
| C5081 | 1 - 3 | | | | 1 - 4 | | 1 - 4 | | 1 - 8 | |
| C5083 | | | | | 1 - 2 | | 1 - 2 | | 1 - 4 | |
| C5089 | | | | | 1 | X | 1 | X | 1 - 2 | X |
| C5090 | 2 | X | | | 1 | | 1 | | 1 - 3 | |
| C5091/**mA | | | 1-4 | | 1 - 2 | | 1 - 2 | | 1 - 4 | |
| C5107 | | | | | | | | | | |

X = fits through cut-out hole

| PRODUCT NAME | ARROW  | MICRO TUBE R  | MICRO TUBE IN  | GEORGE  | MARKER  |
|---------------------------------|---|--|---|--|--|
| Product Ref | A6197... 45 | A6151-2... 83 | A6173... 44 | A6196... 45 | A6196... 52 |
| Constant current drivers | | | | | |
| NON DIMMABLE | | | | | |
| C5001 | | | 1 | X | 1 - 2 |
| C5002 | | | | | |
| C5005 | | | | | 1 |
| C5070 | | | | | |
| C5066/°mA | 5 - 13 | | | | 5 - 13 |
| PHASE DIM | | | | | |
| C5003 | 1 - 6 | | | | 1 - 6 |
| C5016 | 1 - 15 | 1 | X | 1 - 2 | 1 - 15 |
| C5029 | | 1 | X | 2 | 3 - 5 |
| C5045 | | | | 1 | 1 - 2 |
| C5050 | | | | 1 | 2 |
| C5062 | | | | 1 | 2 |
| C5063 | | 1 | X | 2 | 3 - 4 |
| C5064 | | | | | |
| C5065 | | | | | |
| C5067 | | | | 1 | 2 |
| C5068 | | | | | 1 |
| C5069 | 3 - 4 | | | | 3 - 4 |
| C5072 | | | | | |
| C5082 | | | | 1 | 1 - 2 |
| C5087 | 4 - 7 | X | | | 4 - 7 |
| DIM 1-10V | | | | | |
| C5017 | 1 - 24 | 1 - 2 | | 1 - 3 | 1 - 7 |
| C5046 | | 1 - 3 | X | 2 - 11 | 3 - 25 |
| C5050 | | | | 1 | 2 |
| C5051 | | | | | |
| C5062 | | | | 1 | 2 |
| C5064 | | | | | |
| C5073 | 4 - 18 | 1 | X | 1 - 2 | 1 - 5 |
| C5088 | 1 - 20 | 1 - 3 | | 1 - 5 | 1 - 20 |
| C5106 | 1 - 30 | | | 1 - 4 | 1 - 30 |
| DIM DALI | | | | | |
| C5017 | 1 - 24 | 1 - 2 | | 1 - 3 | 1 - 7 |
| C5035/**mA | 4 - 17 | 1 | X | 1 - 2 | 2 - 5 |
| C5043/**mA | 3 - 7 | 1 | X | 1 - 2 | 1 - 4 |
| C5044/**mA | 4 - 12 | 1 | X | 1 - 2 | 2 - 5 |
| C5071/**mA | 4 - 18 | | | | 4 - 18 |
| C5074/**mA | 1 - 5 | X | | 1 | 1 - 5 |
| C5080 | 2 - 12 | 1 | X | 1 - 2 | 1 - 5 |
| C5081 | 1 - 20 | 1 - 2 | | 1 - 5 | 1 - 10 |
| C5083 | 3 - 12 | 1 | X | 1 - 2 | 1 - 5 |
| C5089 | | | | 1 | 1 - 2 |
| C5090 | | 1 | X | 1 - 2 | 1 - 4 |
| C5091/**mA | 3 - 9 | 1 | X | 1 - 2 | 1 - 4 |
| C5107 | 1 - 30 | 2 | | | 1 - 30 |

X = fits through cut-out hole

| PRODUCT NAME | CRATER ANO  | | MINI CRATER ANO  | | NALA 16  | | WALLY 16  | | | |
|--------------------------|--|----|---|----|---|----|--|-----|---|--|
| Product Ref | A6174... | 75 | A6185... | 45 | | 45 | | 45 | | |
| Constant current drivers | | | | | | | | | | |
| NON DIMMABLE | | | | | | | | | | |
| C5001 | | | | | | | | | | |
| C5002 | | | | | | | | | | |
| C5005 | | | | | | | | | | |
| C5070 | | | | | | | | | | |
| C5066/**mA | 2-4 | X | 2-4 | X | 2-4 | | | 2-4 | | |
| PHASE DIM | | | | | | | | | | |
| C5003 | 1 | X | | | 1 | | | | | |
| C5016 | 1-3 | X | 1-3 | X | 1-3 | | | 1-3 | | |
| C5029 | | | | | | | | | | |
| C5045 | | | | | | | | | | |
| C5050 | | | | | | | | | | |
| C5062 | | | | | | | | | | |
| C5063 | | | | | | | | | | |
| C5064 | | | | | | | | | | |
| C5065 | | | 2 | X | | | | 2 | X | |
| C5067 | | | | | | | | | | |
| C5068 | | | 1 | X | | | | 1 | | |
| C5069 | 1 | X | 1 | X | 1 | | | 1 | | |
| C5072 | | | | | | | | | | |
| C5082 | | | | | | | | | | |
| C5087 | 1 | X | | | 1 | X | | | | |
| DIM 1-10V | | | | | | | | | | |
| C5017 | 1-5 | | 1-6 | | 1-5 | | | 1-5 | | |
| C5046 | | | | | | | | | | |
| C5050 | | | | | | | | | | |
| C5051 | | | 1 | | | | | 1 | | |
| C5062 | | | | | | | | | | |
| C5064 | | | 1 | X | | | | 1 | X | |
| C5073 | 1-4 | X | 1-4 | | 1-4 | | | 1-4 | | |
| C5088 | 1-4 | | 1-6 | | 1-4 | | | 1-6 | | |
| C5106 | 1-6 | | 1-7 | | 1-6 | | | 1-7 | | |
| DIM DALI | | | | | | | | | | |
| C5017 | 1-5 | | 1-6 | | 1-5 | | | 1-6 | | |
| C5035/**mA | 2-3 | X | 2-4 | | 2-4 | | | 2-4 | | |
| C5043/**mA | 1 | X | 1-2 | | 1 | | | 1-2 | | |
| C5044/**mA | 1-2 | X | 1-4 | | 1-2 | | | 1-4 | | |
| C5071/**mA | 2-4 | | | | 2-4 | | | | | |
| C5074/**mA | 1 | X | 1 | X | 1 | X | | 1 | X | |
| C5080 | 1-2 | X | 1-4 | | 1-2 | | | 1-4 | | |
| C5081 | 1-4 | | 1-6 | | 1-4 | | | 1-6 | | |
| C5083 | 1-2 | X | 1-4 | | 1-2 | | | 1-4 | | |
| C5089 | | | | | | | | | | |
| C5090 | | | | | | | | | | |
| C5091/**mA | 1-2 | X | 1-2 | | 1-2 | | | 1-3 | | |
| C5107 | 1-6 | | 1-7 | | 1-6 | | | 1-7 | | |

X = fits through cut-out hole

| PRODUCT NAME | RE-LED 1200 | | RE-LED @ 350mA | | RE-LED @ 500mA | | | |
|--------------------------|-------------|--|----------------|--|----------------|--|--|--|
| Product Ref | C1003... | | C1001... | | C1001... | | | |
| Constant current drivers | | | | | | | | |
| NON DIMMABLE | | | | | | | | |
| C5001 | | | 1 | | | | | |
| C5002 | | | | | | | | |
| C5005 | | | | | | | | |
| C5070 | | | | | | | | |
| C5066/°mA | | | | | 2 | | | |
| PHASE DIM | | | | | | | | |
| C5003 | | | | | | | | |
| C5016 | 1 | | 1-2 | | 1-2 | | | |
| C5029 | 1 | | 2 | | | | | |
| C5045 | | | 1 | | | | | |
| C5050 | | | 1 | | | | | |
| C5062 | | | 1 | | | | | |
| C5063 | 1 | | 2 | | | | | |
| C5064 | | | | | | | | |
| C5065 | | | | | 1 | | | |
| C5067 | | | 1 | | | | | |
| C5068 | | | | | | | | |
| C5069 | | | | | | | | |
| C5072 | | | | | | | | |
| C5082 | | | 1 | | | | | |
| C5087 | | | | | | | | |
| DIM 1-10V | | | | | | | | |
| C5017 | 1 | | 1-4 | | 1-4 | | | |
| C5046 | 1 - 6 | | 2-13 | | | | | |
| C5050 | | | 1 | | | | | |
| C5051 | | | | | 1 | | | |
| C5062 | | | 1 | | | | | |
| C5064 | | | | | 1 | | | |
| C5073 | 1 | | 1-2 | | 1-2 | | | |
| C5088 | 1 - 2 | | 1-5 | | 1-4 | | | |
| C5106 | 1 - 2 | | | | 1-5 | | | |
| DIM DALI | | | | | | | | |
| C5017 | 1 | | 1-4 | | 1-4 | | | |
| C5035/**mA | 1 | | 1-3 | | 1-3 | | | |
| C5043/**mA | 1 | | 1-2 | | 1 | | | |
| C5044/**mA | 1 | | 1-3 | | 1-2 | | | |
| C5071/**mA | | | | | 1-3 | | | |
| C5074/**mA | 1 | | 1 | | 1 | | | |
| C5080 | 1 | | 1-3 | | 1-2 | | | |
| C5081 | 1 - 2 | | 1-5 | | 1-4 | | | |
| C5083 | 1 | | 1-3 | | 1-2 | | | |
| C5089 | | | 1 | | | | | |
| C5090 | | | 1-2 | | | | | |
| C5091/**mA | 1 | | 1-2 | | 2 | | | |
| C5107 | 1 - 2 | | | | 1-5 | | | |

X = fits through cut-out hole